

# PROVIT AMINO



**PROVIT AMINO**  
SUPPLEMENTARY FEED FOR POULTRY, CATTLE  
To be used in other ruminants

For information, contact your dealer.

**Ingredients:**

Folic Acid 200mg	Choline Chloride 3,000mg
Choline Chloride 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg
Antibiotic 1,000mg	Antibiotic 1,000mg

**Protection** Ltd.

© 2015 Protection Ltd.

# PROVIT AMINO

## complementary feed for poultry, cattle and rabbits

PROVIT AMINO is easy to administer because it is a ready-to-use oral solution.  
It is a nutritional feed to be used in reaction to stress, transportation, heat or overcrowding.  
During the production cycle the synergy of its components helps the metabolic system.

### DESCRIPTION:

Dietetic feed, in homogeneous micro emulsion, colour dark brown.

### COMPOSITION PER KG:

Vitamins and similar substances:

Vitamin A (E672) 25,000,000 U.I. - Vitamin D3 (E671) 1,000,000 U.I. - Vitamin E (3a700) 8,000 mg (all-rac-Alpha Tocopheryl Acetate) - Vitamin B1 1,500 mg - Vitamin B2-5-phosphate 2,000 mg - Vitamin B6 1,000 mg - Vitamin B12 10 mg - Vitamin PP 15,000 mg - Vitamin H1 900 mg - Folic Acid 200 mg - D-Panthenol 3,000 mg - Choline Chloride 70,000 mg - Betaine 3,000 mg - Amino acids, their salts and analogues - L-Lysine 3.2.3. 8,000 mg - DL-Methionine 3.1.1. 3,300 mg - L-Threonine 3.3.1. 1,000 mg - L-Tryptophan 3.4.1. 250 mg.

### FLAVORING SUBSTANCES:

L-Glycine 5,200 mg

### TECHNOLOGICAL ADDITIVES:

Ricinoleate Glycerol polyethylene glycol E484 - Sodium propionate E281 - Composition per kg: Sorbitol, propylene glycol.

### ANALYTICAL COMPOSITION:

Humidity 64.00%, Crude protein 5.70%, Lysine 0.80%, Methionine 0.33%, Sodium 0.22%, Crude ash 0.00%, Crude fiber 0.00%, Crude oils and fats 0.00%.

### DOSE:

Mix thoroughly into feed or feed ingredients or liquid fodder.

Bovines (for fattening): 25 ml every 100 litres of drinking water. Don't exceed 54 ml every 100 kg of feed

Poultry (young animals): 50 – 100 ml every 100 litres of drinking water. Don't exceed 54 ml every 100 kg of feed.

Poultry (for fattening): 25 ml every 100 litres of drinking water. Don't exceed 54 ml every 100 kg of feed.

Rabbits: 50 – 100 ml every 100 litres of drinking water. Don't exceed 200 ml every 100 kg of feed.

Calves: 50 – 100 ml every 100 litres of drinking water. Don't exceed 100 ml every 100 kg of feed.

Dietetic products should be recommended by consult a nutrition expert or a veterinarian before the use.

Do not use for period longer than 12 weeks.

### EXPIRY DATE:

24 months.

### STORAGE:

Keep in a cool, dry place, away from heat and direct sunlight.

### PACKAGING:

1 kg PVC Bottle in boxes (box of 12 bottles not to be sold separately);

5 kg PE Tank.

### MANUFACTURING SITE:

Manufactured in our factory with certificate no. ITα 000013RE.



Protection S.r.l. - Via C. Pavese, 4/A2 - 31022 Preganziol (TV) - Italy  
Tel & Fax: 0422 633152 - export@protectionsrl.com - www.protectionsrl.com